STONE LOOK

Mystone Pietra Ligure

MARAZZI

Mystone Pietra Ligure

Mystone Pietra Ligure represents a major step forward in technology and style within the Marazzi Mystone collection of stone-look porcelain stoneware. The concept focuses entirely on slate from Italy's Liguria region, replicated with realism of colour and substance thanks to use in the production process of the 3D Ink technology, which ensures perfect matching between the patterning and structure of every single piece. The colour range comprises 4 shades – Bianco, Beige, Antracite and Cenere – running from grey to green, white and brown and all reflecting natural, earthy hues, in 120x120, 75x150, 60x120, 75x75 and 60x60 sizes. Mystone Pietra Ligure has particularly deep patterning and is specifically designed for covering locations which extend seamlessly between indoor and outdoor areas, thanks to the inclusion of R9, R10 and R11 surfaces. The Preinciso listel tile in size 14x120, available in all colours in the collection and intended for installation on both floors and walls, has a structured pattern that adds variety to the surface and is ideal for creating design schemes with a contemporary look. The availability of the 60x120 and 60x60 sizes in 20 mm thick version extends the product's installation horizons in both residential and commercial locations.

MPV6 Terramater Carbone Lux 9x37cm
MPJX Mystone Pietra Ligure Antracite Rt 60x120cm

MPV6 Terramater Carbone Lux 9x37cm
MPK1 Mystone Pietra Ligure Antracite R10 Rt 60x120cm

MPKF Mystone Pietra Ligure Bianco Rt 75x150cm
MPK5 Mystone Pietra Ligure Bianco Strutturato Rt 60x120cm

MPKF Mystone Pietra Ligure Bianco Rt 75x150cm



MPK5 Mystone Pietra Ligure Bianco Strutturato Rt 60x120cm
MPJY Mystone Pietra Ligure Beige R10 Rt 60x120cm

MPML Grande Stone Look Travertino Navona Naturale 3D Ink Rt 120x278cm
MPJH Mystone Pietra Ligure Antracite Rt 120x120cm

MPLD Mystone Pietra Ligure20 Beige Rt 60x120cm
MPJM Mystone Pietra Ligure Beige R10 Rt 120x120cm

MPLD Mystone Pietra Ligure20 Beige Rt 60x120cm
MPJM Mystone Pietra Ligure Beige R10 Rt 120x120cm

MPPF Mystone Pietra Ligure Bianco Listello Preinciso Rt 13x120cm
MPKF Mystone Pietra Ligure Bianco Rt 75x150cm

MPJW Mystone Pietra Ligure Bianco Rt 60x120cm

MPML Grande Stone Look Travertino Navona Naturale 3D Ink Rt 120x278cm
MPK1 Mystone Pietra Ligure Antracite R10 Rt 60x120cm

MPJG Mystone Pietra Ligure Cenere Rt 120x120cm
MGSG Grande Concrete Look Black Natural Rt 6Mm 160x320cm

MPJT Mystone Pietra Ligure Cenere Strutturato Rt 120x120cm

MPJT Mystone Pietra Ligure Cenere Strutturato Rt 120x120cm
MPJG Mystone Pietra Ligure Cenere Rt 120x120cm

MPJG Mystone Pietra Ligure Cenere Rt 120x120cm
MGSG Grande Concrete Look Black Natural Rt 6Mm 160x320cm

MPV6 Terramater Carbone Lux 9x37cm
MPJT Mystone Pietra Ligure Cenere Strutturato Rt 120x120cm

Mystone Pietra Ligure Index

MPV6 Terramater Carbone Lux 9x37cm
MPJX Mystone Pietra Ligure Antracite Rt 60x120cm

Mystone Pietra Ligure

- Colorbody Fine Porcelain Stoneware

Antracite

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJH	Mystone Pietra Ligure Antracite Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJP	Mystone Pietra Ligure Antracite R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJS	Mystone Pietra Ligure Antracite Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJX	Mystone Pietra Ligure Antracite Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	30,09	36	51,84	1.083,16
60x120cm	Natural	MPK1	Mystone Pietra Ligure Antracite R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,92	36	51,84	1.077,08
60x120cm	Structured Surface	MPK2	Mystone Pietra Ligure Antracite Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	29,46	36	51,84	1.060,56
60x60cm	Natural	MPK9	Mystone Pietra Ligure Antracite Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	22,16	40	43,20	886,34
60x60cm	Natural	MPKE	Mystone Pietra Ligure Antracite R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,32	40	43,20	892,75
75x150cm	Natural	MPKH	Mystone Pietra Ligure Antracite Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	46,28	21	47,25	971,82
75x75cm	Natural	MPKK	Mystone Pietra Ligure Antracite Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	21,23	42	47,25	891,85

Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJJ	Mystone Pietra Ligure Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJM	Mystone Pietra Ligure Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJQ	Mystone Pietra Ligure Beige Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJU	600x1200 Mystone Pietra Ligure Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,50	36	51,84	1.062,08
60x120cm	Natural	MPJY	Mystone Pietra Ligure Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,57	36	51,84	1.064,48
60x120cm	Structured Surface	MPK3	Mystone Pietra Ligure Beige Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	30,14	36	51,84	1.084,97
60x60cm	Natural	MPK8	Mystone Pietra Ligure Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	21,60	40	43,20	864,00
60x60cm	Natural	MPKA	Mystone Pietra Ligure Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,33	40	43,20	893,30
75x150cm	Natural	MPKG	Mystone Pietra Ligure Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	46,94	21	47,25	985,81
75x75cm	Natural	MPKM	Mystone Pietra Ligure Beige Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86

Bianco

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJK	Mystone Pietra Ligure Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	30,22	36	51,84	1.087,93
120x120cm	Natural	MPJN	Mystone Pietra Ligure Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJR	Mystone Pietra Ligure Bianco Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJW	Mystone Pietra Ligure Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,50	36	51,84	1.061,86
60x120cm	Natural	MPK0	Mystone Pietra Ligure Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,55	36	51,84	1.063,82
60x120cm	Structured Surface	MPK5	Mystone Pietra Ligure Bianco Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	29,72	36	51,84	1.069,97
60x60cm	Natural	MPK7	Mystone Pietra Ligure Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	21,86	40	43,20	874,49
60x60cm	Natural	MPKD	Mystone Pietra Ligure Bianco R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,04	40	43,20	881,45
75x150cm	Natural	MPKF	Mystone Pietra Ligure Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	45,64	21	47,25	958,42
75x75cm	Natural	MPKN	Mystone Pietra Ligure Bianco Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86

Cenere

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPJG	Mystone Pietra Ligure Cenere Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Natural	MPJL	Mystone Pietra Ligure Cenere R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
120x120cm	Structured Surface	MPJT	Mystone Pietra Ligure Cenere Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3		P4	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x120cm	Natural	MPJV	Mystone Pietra Ligure Cenere Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,44	29,81	36	51,84	1.073,07
60x120cm	Natural	MPJZ	Mystone Pietra Ligure Cenere R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	2	1,44	29,80	36	51,84	1.072,85
60x120cm	Structured Surface	MPK4	Mystone Pietra Ligure Cenere Strutturato Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R11C	> 0.40	Class 3	36+ Slider 96	P4	>= 0.42	H	V3	2	1,44	29,63	36	51,84	1.066,67
60x60cm	Natural	MPK6	Mystone Pietra Ligure Cenere Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	3	1,08	22,02	40	43,20	880,73
60x60cm	Natural	MPKC	Mystone Pietra Ligure Cenere R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	3	1,08	22,37	40	43,20	894,78
75x150cm	Natural	MPKJ	Mystone Pietra Ligure Cenere Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	2,25	42,67	21	47,25	896,07
75x75cm	Natural	MPKL	Mystone Pietra Ligure Cenere Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R9	> 0.40	Class 1			>= 0.42	H	V3	2	1,13	23,00	42	47,25	965,86

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

ISO 14001

ISO 50001

ISO 45001

ISO 9001

Green Building Council

GPP

EPD Italy

ISO 17889-1

Greenguard Certification

LEED Credits

FDES

Declare

HPD

CAM Sassuolo

CAM Casiglie

CCC

CAM Fiorano

CE 001MRZI

CE 009MRZI

UKCA 001MRZUK

UKCA 009MRZUK

SASO

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.
Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.

PDF GENERATO AUTOMATICAMENTE IL 04/05/2026

MARAZZI

EST. 1935

CERAMICHE

MARAZZI