STONE LOOK

Mystone Silver Root

MARAZZI

Mystone Silver Root

Mystone Silver Root unleashes the forthright personality of the inspiration natural stone, with striking veining on a background with strong variations in shade. Thanks to the 3D Ink technology used in the production process, the veining has great depth and richness of detail, giving an extremely realistic effect. The Grigio colour, typical of the natural stone, is accompanied by the paler yet warm Bianco and Beige. The entire colour range extends over the 4 sizes, 90x180, 120x120, 60x120 and 60x60, and the R10 surface, making this product both durable and versatile. Two mosaics complete the collection: the classic 30x30 mosaic and the Prisma mosaic in 30.3x30.3 size, made up of chips with uneven edges. They are both available in all collection colours. With these outstanding qualities, Mystone Silver Root enables the design of interiors of immense personality, where the floor is the stylistic focus.

MPZR Slow Cold20 Nebbia Rt 60x120cm
MPFL Mystone Silver Root White R10 Rt 120x120cm

MPMC Terramater Muschio Struttura 3D Ritmo Lux 18x37cm
MPFS Mystone Silver Root Grey R10 Rt 90x180cm

MPFM Mystone Silver Root Beige R10 Rt 60x120cm
MNH2 Grande Concrete Look Cementum Ash Natural Rt 6Mm Stuoiato 160x320cm

MPFN Mystone Silver Root Grey R10 Rt 60x120cm
MNH1 Grande Concrete Look Cementum Nickel Natural Rt 6Mm Stuoiato 160x320cm
MFFS Cementum20 Nickel Rt 120x120cm

MPH2 Grande Stone Look Infinity Anthracite Satin 3D Ink Rt 6Mm 160x320cm
MPFL Mystone Silver Root White R10 Rt 120x120cm

MPFL Mystone Silver Root White R10 Rt 120x120cm

MPFJ Mystone Silver Root Beige R10 Rt 120x120cm
MGQS Grande Concrete Look Cementum Carbon Natural Rt 120x278cm
MGDM Grande Marble Look Taj Mahal Satin Rt 6Mm 160x320cm

MPFM Mystone Silver Root Beige R10 Rt 60x120cm
MMCZ Mystone Berici20 Bianco Strutturato 60x120cm
MJWZ Grande Stone Look Berici Bianco Satin 3D Ink Rt 6Mm 160x320cm

MPFS Mystone Silver Root Grey R10 Rt 90x180cm

MPFK Mystone Silver Root Grey R10 Rt 120x120cm
MMCZ Mystone Berici20 Bianco Strutturato 60x120cm
MJXH Grande Stone Look Berici Grigio Satin 3D Ink Rt 6Mm 160x320cm

MGUA Artcraft Bianco Semimatt 5x30cm
MFFS Cementum20 Nickel Rt 120x120cm

MPFK Mystone Silver Root Grey R10 Rt 120x120cm

Mystone Silver Root Index

MPZR Slow Cold20 Nebbia Rt 60x120cm
MPFL Mystone Silver Root White R10 Rt 120x120cm

Mystone Silver Root

- Colorbody Fine Porcelain Stoneware

Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPFJ	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	29,54	36	51,84	1.063,38
60x60cm	Natural	MPG4	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,19	40	43,20	887,79
60x120cm	Natural	MPFM	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,78	36	51,84	1.072,18
90x180cm	Natural	MPFQ	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	68,27	18	58,32	1.228,82

Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPFK	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,56	36	51,84	1.136,09
60x60cm	Natural	MPFZ	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,20	40	43,20	887,98
60x120cm	Natural	MPFN	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,82	36	51,84	1.073,51
90x180cm	Natural	MPFS	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	69,75	18	58,32	1.255,54

White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
120x120cm	Natural	MPFL	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	32,00	36	51,84	1.152,00
60x60cm	Natural	MPG0	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,30	40	43,20	892,19
60x120cm	Natural	MPFP	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,72	36	51,84	1.069,97
90x180cm	Natural	MPFR	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	69,16	18	58,32	1.244,82



Mosaic Prisma White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30,3x30,3cm	Natural	MPYF	Mystone Silver Root White Mosaico Prisma Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99

Mosaico 3x3 White

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MPNK	Mystone Silver Root White Mosaico Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00

Mosaic Prisma Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30,3x30,3cm	Natural	MPYE	Mystone Silver Root Beige Mosaico Prisma Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99

Mosaico 3x3 Beige

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MPNL	Mystone Silver Root Beige Mosaico Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00

Mosaic Prisma Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30,3x30,3cm	Natural	MPYG	Mystone Silver Root Grey Mosaico Prisma Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99



Mosaico 3x3 Grey

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
30x30cm	Natural	MPNJ	Mystone Silver Root Grey Mosaico Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

ISO 14001

ISO 45001

ISO 9001

Green Building Council

GPP

EPD Italy

ISO 17889-1

Greenguard Certification

LEED Credits

QBUPEC

QBUPEC D+

FDES

Declare

HPD

CAM Sassuolo

CAM Casiglie

CCC

CE 001MRZI

CE 009MRZI

UKCA 001MRZUK

UKCA 009MRZUK

SASO

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.
Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.

PDF GENERATO AUTOMATICAMENTE IL 04/05/2026

MARAZZI

EST. 1935

CERAMICHE

MARAZZI